L1   1   ("5811044").PN. USPAT; USOCR
L2   43   ("1326235" I "1944464" I "2916792" I "2952036" I "3160493" I "3360827" I "3461196" I "3646894" I "3674393" I "3702148" I "3782329" I "3827843" I "3867081" I "3877497" I "3963396" I "4060053" I "4296061" I "4518336" I "4640673" I "4735761" I "5007150" I "5031749" I "5074102" I "5273418").PN. OR ("5811044").URPN. US-PGPUB; USPAT; USOCR
L3   16   ("1601836" I "1845525" I "2383349" I "2621363" I "3375553" I "3849041" I "5211798" I "5672364" I "5807592" I "5811044" I "6123880").PN. OR ("7425124").URPN.   US-PGPUB; USPAT; USOCR
L5   0   4 and polymeriz$ US-PGPUB; USPAT; USOCR
L6   6   4 and gob   US-PGPUB; USPAT; USOCR
L4   59   2 or 3   US-PGPUB; USPAT; USOCR
L7   160   zoppas-$.in.   US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
L8   21   7 and compression   US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
L9   1   (10/505908).APP.   USPAT; USOCR
L10   1   ("5211798").PN. USPAT; USOCR
L11   3   (("3360827") or ("5807592")).PN. USPAT; USOCR
L12   25   ("3360827").URPN.   USPAT
L13   0   12 and polymeriz$ USPAT
L14   669   polymeriz$ NEAR20 (compression NEAR10 (mold or molded or molding))   US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
L15   36958   polymeriz$ NEAR20 continuous$ US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
L16   77   14 and 15   US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
L17   52   ("2688774" I "3635879").PN. OR ("4393020").URPN.   US-PGPUB; USPAT; USOCR
L18   3   ("3642974").URPN.   USPAT
L19   3   18 and polymeriz$ USPAT

JP 2006321085 A   JPO   MELTING POLYMERIZATION AND COMPRESSION MOLDING SYSTEM
        IMATANI, TSUNEO et al.

US 3360827 A   Plastic dispensing means [TEXT AVAILABLE IN USOCR DATABASE]   AICHELE MARIE K

US 3375553 A   Valve device for plastic extruderCRISS DONALD H

US 3642974 A   PROCESS FOR THE MANUFACTURE OF MOLDINGS OF POLYLACTAMS BY ACTIVATED ANIONIC POLYMERIZATION OF LACTAMS   HAUSER ABEL et al.

US 4296061 A   Thermoplastic gob feeding and transfer method and apparatus   Buckingham; James W.

US 4393020 A   Method for manufacturing a fiber-reinforced thermoplastic molded article   Li; George S. et al.

US 4640673 A   Compression molding apparatus   Takeda; Hiroshi et al.

US 6123880 A   Method for compression molding plastic articles Ingram; Keith W.

US 6187250 B1   Continuous gel casting method and apparatus   Champagne; James T.

US 7425124 B2   Device and method for compression moulding of plastic articles Zoppas; Matteo

WO 3047831 A1   EPO   DEVICE AND METHOD FOR FILLING MOULDS   ZOPPAS, MATTEO

L1	135	imatani-tsun$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
L2	85	morofuji-aki$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
L3	913	fujikawa-tak$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
L4	4638	hashimoto-hiro$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
L6	5731	1 or 2 or 3 or 4 or 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
L7	8	6 and (polymeriz$ and compression)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
L5	8	monzen-hid$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

BRS   L2   194467"264"/$7.ccls. US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;
IBM_TDB

BRS   L3   36487 2 and (compress or compression or compressed or compressing)   US-
PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

BRS   L4   6091   3 and (solidified or solidifying or solidify)   US-PGPUB; USPAT; USOCR;
FPRS; EPO; JPO; DERWENT; IBM_TDB

BRS   L5   6091   3 and 4US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

BRS   L6   333   4 and (without NEAR15 (solidified or solidifying or solidify))   US-
PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

BRS   L7   798   5 and ((before or prior) NEAR15 (solidified or solidifying or solidify))
       US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

BRS   L8   101   6 and 7US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

BRS   L9   6   ("5968429").URPN.   USPAT

BRS   L10   22   ("3050533" | "4093593" | "4330661" | "4357461" | "4403090" | "4424337"
| "4447595" | "4734243" | "4764323" | "4837115" | "5049647" | "5080845" | "5104965" |
"5250333" | "5258233" | "5266413" | "5459168" | "5597525" | "5597891" | "5656221" |
"5656719").PN.   US-PGPUB; USPAT; USOCR

BRS   L11   893   3 and (continuous NEAR10 (compress or compression or compressed or
compressing)) US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

BRS   L12   309   11 and (compression NEAR10 (mold or molded or molding))US-PGPUB;
USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

BRS   L13   114   12 and polyester   US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;
DERWENT; IBM_TDB

BRS   L14   113   13 not 8   US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;
IBM_TDB

BRS   L15   0   (10/564445).APP.   USPAT; USOCR

BRS   L16   21   ("3422178").URPN.   USPAT

BRS   L17   1166   3 and (melt NEAR15 (compress or compression or compressed or
compressing)) US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

BRS   L18   5   3 and ((polyester NEAR10 melt) NEAR15 (compress or compression or
compressed or compressing))US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

BRS   L19   128   nahill-t$.in.   US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;
IBM_TDB

BRS   L20   11   kalmouni-b$.in.   US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;
DERWENT; IBM_TDB

IS&R   L21   3   (("5656719") or ("5656221") or ("6349838") or ("2003104146") or
("2004091652") or ("2002098310")).PN.   US-PGPUB; USPAT

BRS   L22   0   ("2003104146" or "2004091652" or "2002098310").pn.   US-PGPUB

BRS   L23   0   ("$4104146" or "2004091652" or "2002098310").pn. US-PGPUB

IS&R   L24   0   ((2003/104146) or (2004/091652) or (2002/098310)).CCLS. US-PGPUB;
USPAT

BRS   L27   1   ep-727303-$.did.   EPO; DERWENT

BRS   L28   2   ep-1208957-$.did.   EPO; DERWENT

BRS   L29   1   2002-062089.NRAN.   DERWENT

BRS   L30   2   ep-1193054-$.did.   EPO; DERWENT

BRS   L31   1   2002-418649.NRAN.   DERWENT

US 5968429 A   USPAT 19991019   8   Apparatus and method for molding of polyester articles directly from a melt   264/102   264/211.21; 264/211.23; 264/297.2; 264/328.19; 264/328.8; 425/145; 425/203; 425/204; 425/207; 425/209; 425/559; 425/572; 425/588
          Treece; Lanney Calvin et al.

US 5597891 A   USPAT 19970128   9   Process for producing polyester articles having low acetaldehyde content   528/481   264/101; 264/176.1; 264/211.21; 264/211.24; 528/272; 528/307; 528/308.1; 528/308.6; 528/483; 528/502C; 528/503   Nelson; Gregory W. et al.

US 3422178 A   USOCR 19690114   14   CONTINUOUS POLYMER CASTING MACHINE AND PROCESS   264/216   164/432; 264/316; 264/331.18; 264/51; 425/150; 425/232; 425/371; 425/407   JUNKER BERNHARD T et al.

US 5656719 A   USPAT 19970812   8   Condensation injection molding process for producing bottle preforms of polyethylene terephthalate and/or its copolyesters and resultant preforms   528/491   264/512; 264/513; 264/516; 525/437; 528/272; 528/298; 528/301; 528/302; 528/307; 528/308; 528/308.6   Stibal; Werner et al.

US 5656221 A   USPAT 19970812   5   Process for direct production of low acetaldehyde packaging material   264/85 264/102; 264/211; 525/425; 528/274; 528/280; 528/286; 528/308.3; 528/308.8; 528/483   Schumann; Heinz-Dieter et al.

US 6720047 B2   DERWENT   20040413   16   Stretch blow molded container, comprising thermoplastic polyester as main component   HIROTA, N et al.

US 6929836 B2   DERWENT   20050816   12   Multilayered preformed for molded bottles has half-width of diffuse scattering peak by x-ray diffraction of outer surface of bottom portion greater than that of diffraction of inner surface
          ETHO, M et al.